



according to Regulation (EC) No 1907/2006

Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 1 of 17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Kisling - 1039

UFI: Q7V2-10WQ-400K-4VD0

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Kislina AG Company name:

Motorenstrasse 102 Street: Place: CH-8620 Wetzikon +41 58 272 0 272 Telephone:

customerservice@kisling.com E-mail:

**Product Compliance** Telephone: +49 7940 5096 143 Contact person:

compliance@kisling.com E-mail: Internet: www.kisling.com

**Supplier** 

Kisling (Deutschland) GmbH Company name:

Salzstraße 15 Street: Place: D-74676 Niedernhall +49 7940 50961 61 Telephone:

customerservice@kisling.com E-mail:

Contact person: **Product Compliance** Telephone: +49 7940 5096 143

compliance@kisling.com E-mail: www.kisling.com

Internet:

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

#### Hazard components for labelling

2-hydroxyethyl methacrylate acrylic acid; prop-2-enoic acid tert-butyl perbenzoate





according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 2 of 17

Signal word: Danger

Pictograms:





#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:





#### **Hazard statements**

H317-H318-H412

### **Precautionary statements**

P261-P280-P305+P351+P338-P310-P333+P313-P362+P364

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Chemical characterization

Mixture of substances listed below with nonhazardous components.



according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 3 of 17

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
868-77-9	2-hydroxyethyl methacrylate			30 - < 50 %
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1; H315 H319 H317		
79-10-7	acrylic acid; prop-2-enoic acid			1 - < 5 %
	201-177-9	607-061-00-8		
		ox. 4, Acute Tox. 4, Skin Corr. 1A, Ey; H226 H332 H312 H302 H314 H318	•	
614-45-9	tert-butyl perbenzoate		1 - < 5 %	
	210-382-2		01-2119513317-46	
	Org. Perox. C, Acute Tox. 4, Skin II H332 H315 H317 H400 H412	rit. 2, Skin Sens. 1, Aquatic Acute 1,	Aquatic Chronic 3; H242	
128-37-0	2,6-di-tert-butyl-p-cresol			0.1 - < 1 %
	204-881-4			
_	Aquatic Chronic 1; H410			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	30 - < 50 %
	dermal: LD50	= >3000 mg/kg; oral: LD50 = 5050 mg/kg	
79-10-7	201-177-9	acrylic acid; prop-2-enoic acid	1 - < 5 %
		50 = > 5,1 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); dermal: 0 mg/kg; oral: LD50 = ca. 1000 - < 2000 mg/kg STOT SE 3; H335: >= 1 - 100	
614-45-9	210-382-2	tert-butyl perbenzoate	1 - < 5 %
	<b>I</b>	50 = > 0.26 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); dermal: ng/kg; oral: LD50 = 7084 mg/kg	
128-37-0	204-881-4	2,6-di-tert-butyl-p-cresol	0.1 - < 1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 6000 mg/kg Aquatic Chronic 1; H410: M=1	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 4 of 17

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special handling advices are necessary.



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 5 of 17

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

none

#### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

#### 7.3. Specific end use(s)

No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
79-10-7	Acrylic acid; Prop-2-enoic acid	10	29		TWA (8 h)	
		20	59		STEL (1 min)	



according to Regulation (EC) No 1907/2006

Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 6 of 17

### **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
79-10-7	acrylic acid; prop-2-enoic acid			
Worker DNEL	, long-term	inhalation	systemic	30 mg/m³
Worker DNEL	, acute	inhalation	systemic	30 mg/m³
Worker DNEL	, long-term	inhalation	local	30 mg/m³
Worker DNEL	, acute	inhalation	local	30 mg/m³
Consumer DN	IEL, long-term	inhalation	systemic	3,6 mg/m³
Consumer DN	IEL, acute	inhalation	systemic	3,6 mg/m³
Consumer DN	IEL, long-term	inhalation	local	3,6 mg/m³
Consumer DN	IEL, acute	inhalation	local	3,6 mg/m³
Consumer DN	IEL, long-term	oral	systemic	0,4 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	1,2 mg/kg bw/day
614-45-9	tert-butyl perbenzoate			
Worker DNEL	, long-term	inhalation	systemic	24.7 mg/m³
Worker DNEL	, long-term	dermal	systemic	17.5 mg/kg bw/day
128-37-0	2,6-di-tert-butyl-p-cresol			
Worker DNEL	, long-term	inhalation	systemic	1,76 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,435 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,25 mg/kg bw/day



according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 7 of 17

#### **PNEC values**

CAS No	Name of agent	
Environment	tal compartment	Value
79-10-7	acrylic acid; prop-2-enoic acid	
Freshwater		0,003 mg/l
Freshwater (	(intermittent releases)	0,001 mg/l
Marine wate	r	0,0003 mg/l
Freshwater	sediment	0,024 mg/kg
Marine sedir	ment	0,002 mg/kg
Secondary p	poisoning	30 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,9 mg/l
Soil		1 mg/kg
614-45-9	tert-butyl perbenzoate	
Freshwater		0.01 mg/l
Freshwater (intermittent releases)		0.008 mg/l
Marine wate	r	0.00101 mg/l
Freshwater	sediment	0.28 mg/kg
Marine sedir	ment	0.028 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0.6 mg/l
Soil		0.049 mg/kg
128-37-0	2,6-di-tert-butyl-p-cresol	
Freshwater		0,000199 mg/l
Freshwater (	(intermittent releases)	0,00199 mg/l
Marine wate	r	0,00002 mg/l
Freshwater sediment		0,458 mg/kg
Marine sediment		0,046 mg/kg
Secondary p	poisoning	16,67 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,017 mg/l
Soil		0,054 mg/kg

### 8.2. Exposure controls





## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### **Hand protection**

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is



according to Regulation (EC) No 1907/2006

#### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 8 of 17

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

colourless

characteristic

not determined

Melting point/freezing point:

Boiling point or initial boiling point and

>200 °C

boiling range:

not applicable Flammability: Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 94 °C not determined Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties not determined

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 75000 mPa·s (at 25 °C)

### **SECTION 10: Stability and reactivity**



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 9 of 17

#### 10.1. Reactivity

No further relevant information available.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix** calculated

ATE (oral) 20408 mg/kg; ATE (dermal) 22449 mg/kg; ATE (inhalation vapour) 159.4 mg/l; ATE (inhalation dust/mist) 21.74 mg/l



according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 10 of 17

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
368-77-9	2-hydroxyethyl methacry	2-hydroxyethyl methacrylate							
	oral	LD50 mg/kg	5050	Rat	Pre-supplier/manufac turer				
	dermal	LD50 mg/kg	>3000	Rabbit	Pre-supplier/manufac turer				
9-10-7	acrylic acid; prop-2-enoi	c acid							
	oral	LD50 < 2000 mg	ca. 1000 - g/kg	Rat	Study report (2015)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2011)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50	> 5,1 mg/l	Rat	Study report (1980)	OECD Guideline 403			
	inhalation dust/mist	ATE	1.5 mg/l						
614-45-9	tert-butyl perbenzoate								
	oral	LD50 mg/kg	7084	Rat	Study report (1977)	graded doses given to groups of test ani			
	dermal	LD50 mg/kg	3817	Rabbit	Study report (1977)	exposure to graded doses.			
	inhalation (4 h) vapour	LC50 mg/l	> 0.26	Rat	Study report (1977)	limit test: saturated vapor			
	inhalation dust/mist	ATE	1.5 mg/l						
28-37-0	2,6-di-tert-butyl-p-cresol								
	oral	LD50 mg/kg	> 6000	Rat	Study report (1989)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402			

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

May cause an allergic skin reaction. (2-hydroxyethyl methacrylate; tert-butyl perbenzoate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (acrylic acid; prop-2-enoic acid)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available





according to Regulation (EC) No 1907/2006

### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 11 of 17

### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No data available

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.





according to Regulation (EC) No 1907/2006

## Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 12 of 17

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
868-77-9	2-hydroxyethyl methacryla	ate								
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas	Pre-supplier/man ufacturer				
	Acute crustacea toxicity	EC50 mg/l	>380	48 h	Daphnia magna (Big water flea)	Pre-supplier/man ufacturer				
79-10-7	acrylic acid; prop-2-enoic acid									
	Acute fish toxicity	LC50	27 mg/l	96 h	Oncorhynchus mykiss	European Union Risk Assessment Report, 1	EPA OTS 797.1400			
	Acute algae toxicity	ErC50 mg/l	0,13	72 h	Desmodesmus subspicatus	Chemosphere 45: 653-658 (1994)	EU Method C.3			
	Acute crustacea toxicity	EC50	95 mg/l	48 h	Daphnia magna	Chemosphere 40: 29 - 38 (1990)	EPA OTS 797.1300			
	Fish toxicity	NOEC mg/l	>= 10,1	45 d	Oryzias latipes	REACh Registration Dossier	OECD Guideline 210			
	Crustacea toxicity	NOEC	19 mg/l	21 d	Daphnia magna	Chemosphere 40: 29-38 (1996)	EPA OTS 797.1330			
614-45-9	tert-butyl perbenzoate									
	Acute fish toxicity	LC50	1.6 mg/l	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203			
	Acute algae toxicity	ErC50	0.8 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201			
	Fish toxicity	NOEC mg/l	0.072	33 d	Pimephales promelas	REACh Registration Dossier	OECD Guideline 210			
	Acute bacteria toxicity	EC50	43 mg/l (		activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209			
128-37-0	2,6-di-tert-butyl-p-cresol									
	Acute fish toxicity	LC50 mg/l	0,199	96 h	Oryzias latipes	REACh Registration Dossier	OECD Guideline 203			
	Acute algae toxicity	ErC50 mg/l	0,758	96 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	0,48	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	0,053	30 d	Oryzias latipes	REACh Registration Dossier	OECD Guideline 210			
	Crustacea toxicity	NOEC mg/l	0,069	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211			



according to Regulation (EC) No 1907/2006

			Ki	sling - 1039			
Revision date:	05.06.2024		Pro	oduct code: 1039		Page 13 o	f 17
Acute bacteria toxicity EC50 mg/l ( )		> 10000	3 h Activated sludge	Study report (2000)	OECD Guideline 209		

#### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47
79-10-7	acrylic acid; prop-2-enoic acid	0,46
614-45-9	tert-butyl perbenzoate	3
128-37-0	2,6-di-tert-butyl-p-cresol	5,03

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
79-10-7	acrylic acid; prop-2-enoic acid	3,162		Unpublished calculat
128-37-0	2,6-di-tert-butyl-p-cresol	465	fish	REACh Registration D

#### 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous

waste

#### List of Wastes Code - contaminated packaging





according to Regulation (EC) No 1907/2006

#### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 14 of 17

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial 48.67 % (525.636 g/l)

emissions:

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

### **National regulatory information**





according to Regulation (EC) No 1907/2006

Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 15 of 17

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information** 





according to Regulation (EC) No 1907/2006

#### Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 16 of 17

#### Abbreviations and acronyms

Org. Perox

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).



according to Regulation (EC) No 1907/2006

# Kisling - 1039

Revision date: 05.06.2024 Product code: 1039 Page 17 of 17

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### **Identified uses**

TF: Technical functions

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12,	1	11, 19	4, 8a, 8c,	4e, 4g, 5c,	110	K+D
			18, 19			8d	6g, 7c, 7g,		
							8, 10, 11,		
							13		

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)