



according to Regulation (EC) No 1907/2006

## 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

8514/30N PU Resin

UFI: QTHF-44KM-K00F-497A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Resins (prepolymers)

#### 1.3. Details of the supplier of the safety data sheet

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15

Place: D-74676 Niedernhall Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Product Compliance Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances listed below with nonhazardous components.



according to Regulation (EC) No 1907/2006

#### 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 2 of 11

#### Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
78-40-0	triethyl phosphate			1 - < 5 %	
	201-114-5	015-013-00-7			
	Acute Tox. 4, Eye Irrit. 2; H302 H319				
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate				
	945-730-9		01-2119511174-52		
	Aquatic Acute 1, Aquatic Chronic 3; H400 H412				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
78-40-0	201-114-5	triethyl phosphate	1 - < 5 %		
	oral: LD50 = 1	al: LD50 = 1170 mg/kg			
	945-730-9	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate	1 - < 5 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg Aquatic Acute 1; H400: M=1			

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No special measures are necessary.

#### After inhalation

Provide fresh air.

## After contact with skin

Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. IF SWALLOWED: Immediately call a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Dry extinguishing powder

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products, Flammable vapours can accumulate in steam space of closed systems.





according to Regulation (EC) No 1907/2006

#### 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 3 of 11

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### For cleaning up

Soak up inert absorbent and dispose as waste requiring special attention.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Further information on handling

Keep only in the original container in a cool, well-ventilated place.

Never use pressure to empty container. Do not allow to enter into surface water or drains.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

## Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

No special measures are necessary.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 4 of 11

## **DNEL/DMEL values**

CAS No	Name of agent					
DNEL type		Exposure route	Effect	Value		
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate					
Worker DNE	L, long-term	inhalation	systemic	3,5 mg/m³		
Worker DNE	L, acute	inhalation	systemic	28 mg/m³		
Worker DNE	L, long-term	dermal	systemic	0,5 mg/kg bw/day		
Worker DNE	L, acute	dermal	systemic	4 mg/kg bw/day		
Consumer D	NEL, long-term	inhalation	systemic	0,875 mg/m³		
Consumer D	NEL, acute	inhalation	systemic	7 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day		
Consumer DNEL, acute		dermal	systemic	2 mg/kg bw/day		
Consumer D	NEL, long-term	oral	systemic	0,25 mg/kg bw/day		
Consumer D	NEL, acute	oral	systemic	2 mg/kg bw/day		

#### **PNEC values**

CAS No	Name of agent				
Environmen	Environmental compartment Va				
Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate					
Freshwater	Freshwater 0,002 mg/l				
Marine water	Marine water 0,0002 mg/l				
Freshwater	Freshwater sediment 3,43 mg/kg				
Marine sedi	0,343 mg/kg				
Secondary poisoning 267 mg/kg					
Soil	Soil 0,68 mg/kg				

## 8.2. Exposure controls





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye/face protection.

# Hand protection

Wear protective gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.

NR (natural rubber, Natural latex) 0,5 mm, Breakthrough time: 480 min

**EN ISO 374** 



according to Regulation (EC) No 1907/2006

#### 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 5 of 11

#### Skin protection

Avoid contact with skin, eyes and clothes.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

beige

characteristic

not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

not determined Flammability: Lower explosion limits: not determined not determined Upper explosion limits: Flash point: >100 °C not determined Auto-ignition temperature: Decomposition temperature: not determined not determined pH-Value: not determined Viscosity / kinematic:

Water solubility:

The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 22 °C):

Relative vapour density:

Particle characteristics:

not determined

2,4 - 2,5 g/cm³

not determined

not determined

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 100.000 - 180.000 mPa·s

(at 22 °C)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No known hazardous reactions.



according to Regulation (EC) No 1907/2006

## 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 6 of 11

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Thermal decomposition can lead to the escape of irritating gases and vapours.

Vapours can form explosive mixtures with air.

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) 31231 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
78-40-0	triethyl phosphate						
	oral	LD50 mg/kg	1170	Rat	GESTIS		
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate						
				Pre-supplier/manufac turer			
	dermal	LD50 mg/kg	>2000		Pre-supplier/manufac turer	OECD 402	

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 7 of 11

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

No data available

## Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

#### 11.2. Information on other hazards

#### Other information

No data available

#### **Further information**

No data available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	No Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate							
	Acute fish toxicity	LC50	1,3 mg/l	96 h	Oryzias latipes (Ricefish)	Pre-supplier/man ufacturer		
	Acute algae toxicity	ErC50 mg/l	0,55	72 h	Desmodesmus subspicatus	Pre-supplier/man ufacturer	Regulation (EC) No. 440/2008, Annex C.3	
	Algae toxicity	NOEC mg/l	0,11	3 d	Desmodesmus subspicatus	Pre-supplier/man ufacturer	Regulation (EC) No. 440/2008, Annex C.3	
	Crustacea toxicity	NOEC mg/l	0,21	21 d	Daphnia magna (Big water flea)	Pre-supplier/man ufacturer		
	Acute bacteria toxicity	EC50 mg/l ( )	>10000	3 h	Activated sludge	Pre-supplier/man ufacturer	OECD 209	

## 12.2. Persistence and degradability

No data available

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate					
	OECD 301C 75 % 28					
	Readily biodegradable (according to OECD criteria).					

## 12.3. Bioaccumulative potential



Revision date: 26.07.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 8514/30N PU Resin Product code: 50024 Page 8 of 11

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-40-0	triethyl phosphate	0,8
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phosphate and triphenyl phosphate	4,5

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate	220		

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

## List of Wastes Code - used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

## List of Wastes Code - contaminated packaging

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste





according to Regulation (EC) No 1907/2006

#### 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 9 of 11

#### Contaminated packaging

Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

#### **SECTION 14: Transport information**

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

#### 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 10 of 11

#### Abbreviations and acronyms

Acute Tox: Acute toxicity
Eye Irrit: Eye irritation

Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard
CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.





according to Regulation (EC) No 1907/2006

## 8514/30N PU Resin

Revision date: 26.07.2024 Product code: 50024 Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)