



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

8600/30N PU Resin

UFI: FGJF-643T-100E-E0VU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Resins (prepolymers)

1.3. Details of the supplier of the safety data sheet

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15

Place: D-74676 Niedernhall Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Product Compliance Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Fatty acids, C18-unsaturated, trimers, combination with oleylamine

Fatty acids, tall oil, compounds with oleylamine

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 2 of 12

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
25791-96-2	Glycerine, propoxylated			5 - < 15 %	
	Acute Tox. 4; H302				
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			0.1 - < 1 %	
	604-612-4		01-2119971821-33		
	Acute Tox. 4, Skin Sens. 1, STOT I	RE 2, Aquatic Chronic 2; H302 H317	H373 H411		
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			0.1 - < 1 %	
	288-315-1		01-2119974148-28		
	Eye Dam. 1, Skin Sens. 1A, STOT	RE 2; H318 H317 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
25791-96-2		Glycerine, propoxylated	5 - < 15 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 1000 mg/kg			
147900-93-4	604-612-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	0.1 - < 1 %	
	oral: LD50 = >1570 mg/kg			
85711-55-3	288-315-1	Fatty acids, tall oil, compounds with oleylamine	0.1 - < 1 %	
	oral: LD50 = > 2000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.





according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 3 of 12

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Resins (prepolymers)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 4 of 12

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
25791-96-2	Glycerine, propoxylated		·	
Worker DNEL,	long-term	inhalation	systemic	98 mg/m³
Worker DNEL,	long-term	dermal	systemic	13,9 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	29 mg/m³
Consumer DN	EL, long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	8,3 mg/kg bw/day
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with	oleylamine		
Worker DNEL,	long-term	dermal	systemic	0,024 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,012 mg/kg bw/day
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			
Consumer DN	EL, long-term	oral	systemic	0,012 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,024 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,012 mg/kg bw/day

PNEC values

CAS No	Name of agent				
Environmental	compartment	Value			
25791-96-2	Glycerine, propoxylated				
Freshwater		0,2 mg/l			
Freshwater (in	ermittent releases)	1 mg/l			
Marine water		0,02 mg/l			
Freshwater sed	liment	0,52 mg/kg			
Marine sedime	nt	0,052 mg/kg			
Micro-organisms in sewage treatment plants (STP)					
Soil 0,0					
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine				
Freshwater		0,006 mg/l			
Marine water	0,0006 mg/l				
Freshwater sed	liment	2,46 mg/l			
Marine sediment 0,25 mg/					
Secondary poisoning 0,47 mg					
Soil 0,28 m					
85711-55-3	Fatty acids, tall oil, compounds with oleylamine				
Secondary pois	Secondary poisoning 0,47 mg/kg				

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 5 of 12





Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

beige

characteristic

not determined

Melting point/freezing point:

Boiling point or initial boiling point and

>200 °C

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits:

Upper explosion limits:

not determined

Plash point:

>100 °C

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

not determined

not determined

not determined

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 22 °C):

Relative vapour density:

not determined

0,94 - 0,98 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 6 of 12

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

Solid content:

Viscosity / dynamic:

(at 22 °C)

not determined

not determined

300-700 mPa·s

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 4000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
25791-96-2	Glycerine, propoxylated						
	oral	LD50 mg/kg	> 1000	Rat	Pre-supplier/manufac turer	OECD 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1992)	OECD Guideline 402	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine						
	oral	LD50 mg/kg	>1570	Rat	Pre-supplier/manufac turer	OECD 423	
85711-55-3	Fatty acids, tall oil, compounds with oleylamine						
	oral	LD50 mg/kg	> 2000	Rat	Study report (2011)	OECD Guideline 423	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 7 of 12

Sensitising effects

May cause an allergic skin reaction. (Fatty acids, C18-unsaturated, trimers, combination with oleylamine; Fatty acids, tall oil, compounds with oleylamine)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 8 of 12

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
25791-96-2	Glycerine, propoxylated								
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Leuciscus idus	Study report (1992)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2003)	EU Method C.3		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1992)	OECD Guideline 202		
	Crustacea toxicity	NOEC mg/l	>= 10	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l ()	>10000	3 h	Activated sludge	Pre-supplier/man ufacturer			
147900-93- 4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine								
	Acute fish toxicity	LL50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/man ufacturer	OECD 203		
	Acute crustacea toxicity	EL50 mg/l	>100	48 h	Daphnia magna (Big water flea)	Pre-supplier/man ufacturer	OECD 202		
	Acute bacteria toxicity	EC50 mg/l ()	>1000	3 h	Activated sludge	Pre-supplier/man ufacturer	OECD 209		
85711-55-3	Fatty acids, tall oil, compounds with oleylamine								
	Acute fish toxicity	LL50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/man ufacturer	OECD 203		
	Acute crustacea toxicity	EL50 mg/l	15,2	48 h	Daphnia magna (Big water flea)	Pre-supplier/man ufacturer	OECD 202		
	Acute bacteria toxicity	EC50 mg/l ()	>1000	3 h	Activated sludge	Pre-supplier/man ufacturer	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-	-	-			
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine						
	OECD 301F, aerob	27%	28	Pre-supplier/manufactur			
	Moderately/partially biodegradable.	I	•	1			
85711-55-3	Fatty acids, tall oil, compounds with oleylamine						
	OECD 301F , aerob	87%	28	Pre-supplier/manufactur er			
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

The product has not been tested.



according to Regulation (EC) No 1907/2006

	8600/30N PU Resin	
Revision date: 20.06.2024	Product code: 50032	Page 9 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
25791-96-2	Glycerine, propoxylated	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	>5,7
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	> 6,2

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

• • •	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 10 of 12

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 11 of 12

Abbreviations and acronyms

Acute Tox: Acute toxicity
Eye Dam: Eye damage
Skin Sens: Skin sensitisation

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)


H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Further Information





according to Regulation (EC) No 1907/2006

8600/30N PU Resin

Revision date: 20.06.2024 Product code: 50032 Page 12 of 12

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)