

according to Regulation (EC) No 1907/2006

8702/N Thermal paste

Revision date: 08.05.2024	Product code: 500	D80 Page 1 of		
SECTION 1: Identification of t	he substance/mixture and of the co	mpany/undertaking		
1.1. Product identifier				
8702/N Thermal paste				
UFI:	SMPF-G47U-R005-5DUX			
1.2. Relevant identified uses of t	he substance or mixture and uses advis	ed against		
Use of the substance/mixture				
Heat transferring agent				
1.3. Details of the supplier of the	safety data sheet			
Company name:	Kisling (Deutschland) GmbH			
Street:	Salzstraße 15			
Place:	D-74676 Niedernhall			
Telephone:	+49 7940 50961 61			
E-mail:	customerservice@kisling.com			
Contact person:	Product Compliance	Telephone: +49 7940 5096 143		
E-mail:	compliance@kisling.com			
Internet:	www.kisling.com			
1.4. Emergency telephone	24 hr. emergency phone number +	1 872 5888271 (KAR)		
number: Medicines & Poisons Info Office +356 2545 6508				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208	Contains Fatty acids, C18-unsaturated, trimers, combination with oleylamine, Fatty acids,
	tall oil, compounds with oleylamine. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			0.1 - < 1 %	
	604-612-4		01-2119971821-33		
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Chronic 2; H302 H317 H373 H411				
85711-55-3	Fatty acids, tall oil, compounds with	oleylamine		< 0.1 %	
	288-315-1		01-2119974148-28		
	Eye Dam. 1, Skin Sens. 1A, STOT RE 2; H318 H317 H373				

Full text of H and EUH statements: see section 16.



8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 2 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
147900-93-4	604-612-4	-4 Fatty acids, C18-unsaturated, trimers, combination with oleylamine		
	oral: LD50 = >1570 mg/kg			
85711-55-3	288-315-1 Fatty acids, tall oil, compounds with oleylamine		< 0.1 %	
	oral: LD50 = > 2000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the



according to Regulation (EC) No 1907/2006

8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 3 of 11

recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Resins (prepolymers)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with ole	ylamine			
Worker DNEL	long-term	dermal	systemic	0,024 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	0,012 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	systemic	0,012 mg/kg bw/day	
85711-55-3	Fatty acids, tall oil, compounds with oleylamine				
Consumer DN	EL, long-term	oral	systemic	0,012 mg/kg bw/day	
Worker DNEL	long-term	dermal	systemic	0,024 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	systemic	0,012 mg/kg bw/day	



8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 4 of 11

PNEC values

CAS No	Name of agent					
Environmenta	compartment	Value				
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
Freshwater		0,006 mg/l				
Marine water		0,0006 mg/l				
Freshwater se	diment	2,46 mg/l				
Marine sedime	ent	0,25 mg/l				
Secondary po	isoning	0,47 mg/kg				
Soil		0,28 mg/kg				
85711-55-3	-3 Fatty acids, tall oil, compounds with oleylamine					
Secondary po	isoning	0,47 mg/kg				

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	cream	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined



8702/N Thermal paste					
Revision date: 08.05.2024	Product code: 50080	Page 5 of 11			
pH-Value:	not determined				
Water solubility:	The study does not need to be conducted				
	because the substance is known to be				
	insoluble in water.				
Solubility in other solvents not determined					
Partition coefficient n-octanol/water:	not determined				
Vapour pressure:	not determined				
Density (at 22 °C):	2,20-2,50 g/cm ³				
Relative vapour density:	not determined				
9.2. Other information					
Information with regard to physical haza	rd classes				
Explosive properties					
The product is not: Explosive.					
Oxidizing properties					
The product is not: oxidising.					
Other safety characteristics					
Evaporation rate:	not determined				
Solid content:	not determined				
Viscosity / dynamic: (at 22 °C)	150000-200000 mPa⋅s				

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 6 of 11

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
	oral	LD50 >1570 mg/kg		Pre-supplier/manufac turer	OECD 423	
85711-55-3	Fatty acids, tall oil, compo	ounds with oleylamine				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2011)	OECD Guideline 423	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Fatty acids, C18-unsaturated, trimers, combination with oleylamine, Fatty acids, tall oil, compounds with oleylamine. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 7 of 11

CAS No	o Chemical name						
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method	
147900-93- 4	Fatty acids, C18-unsatura	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
	Acute fish toxicity	LL50 >1 mg/l	00 96	h Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/man ufacturer	OECD 203	
	Acute crustacea toxicity	EL50 >1 mg/l	00 48	h Daphnia magna (Big water flea)	Pre-supplier/man ufacturer	OECD 202	
	Acute bacteria toxicity	EC50 >1 mg/l ()	000 3	h Activated sludge	Pre-supplier/man ufacturer	OECD 209	
85711-55-3	Fatty acids, tall oil, compo	unds with oleylar	mine				
	Acute fish toxicity	LL50 >1 mg/l	00 96	h Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/man ufacturer	OECD 203	
	Acute crustacea toxicity	EL50 15 mg/l	,2 48	h Daphnia magna (Big water flea)	Pre-supplier/man ufacturer	OECD 202	
	Acute bacteria toxicity		000 3	h Activated sludge	Pre-supplier/man ufacturer	OECD 209	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
	OECD 301F, aerob	27%	28	Pre-supplier/manufactur er		
	Moderately/partially biodegradable.					
85711-55-3	Fatty acids, tall oil, compounds with oleylamine					
	OECD 301F , aerob	87%	28	Pre-supplier/manufactur er		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	>5,7
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	> 6,2

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.



8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 8 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



8702/N Thermal paste	
Product code: 50080	Page 9 of 1
Not subject to 2012/18/EU (SEVESO III)	
	venile
1 - slightly hazardous to water	
Causes allergic hypersensitivity reactions.	
	Product code: 50080 Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC). 1 - slightly hazardous to water

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 10 of 11

Abbreviations and acronyms Acute Tox: Acute toxicity Eye Dam: Eye damage Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains Fatty acids, C18-unsaturated, trimers, combination with oleylamine, Fatty acids, tall oil, compounds with oleylamine. May produce an allergic reaction. Safety data sheet available on request. EUH210

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product



according to Regulation (EC) No 1907/2006

8702/N Thermal paste

Revision date: 08.05.2024

Product code: 50080

Page 11 of 11

properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)