

Revision date: 18.06.2024

1.1. Product identifier

SECTION 1: Identification

8808/30T PU Resin

Safety Data Sheet

Page 1 of 12

according to Regulation (EC) No 1907/2006

8808/30T PU Resin	
Product code: 50105	
	_
of the substance/mixture and of the company/undertaking	
	Π

UFI:

ERRF-44GS-D00H-QXEJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Resins (prepolymers)

1.3. Details of the supplier of the safety data sheet

	Kisling (Deutschland) GmbH	
Company name:	3 ()	
Street:	Salzstraße 15	
Place:	D-74676 Niedernhall	
Telephone:	+49 7940 50961 61	
E-mail:	customerservice@kisling.com	
Contact person:	Product Compliance	Telephone: +49 7940 5096 143
E-mail:	compliance@kisling.com	
Internet:	www.kisling.com	
1.4. Emergency telephone	24 hr. emergency phone number +1	872 5888271 (KAR)
number:	Medicines & Poisons Info Office +35	6 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319 Repr. 2; H361fd

Full text of hazard statements: see SECTION 16.

Warning

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Propylidynetrimethanol

Signal word:

Pictograms:



Hazard statements

H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements

	P201	Obtain special instructions before use.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
		present and easy to do. Continue rinsing.	
	P308+P313	IF exposed or concerned: Get medical advice/attention.	
	P337+P313	If eye irritation persists: Get medical advice/attention.	
a	belling of packages w	here the contents do not exceed 125 ml	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

8808/30T PU Resin Revision date: 18.06.2024 Product code: 50105 Page 2 of 12 Signal word: Warning Pictograms: Variant of the second second

Relevant ingredients

CAS No	Chemical name							
	EC No	Index No REACH No						
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)						
78-40-0	triethyl phosphate			15 - < 30 %				
	201-114-5	015-013-00-7						
	Acute Tox. 4, Eye Irrit. 2; H302 H3	19						
144-19-4	2,2,4-trimethylpentane-1,3-diol			5 - < 15 %				
			01-2119941373-40					
	Eye Irrit. 2; H319							
115-84-4	2-butyl-2-ethylpropanediol			5 - < 15 %				
	204-111-7		01-2119450133-52					
	Eye Irrit. 2; H319							
77-99-6	Propylidynetrimethanol			5 - < 15 %				
	201-074-9		01-2119486799-10					
	Repr. 2; H361fd							

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Cond	c. Limits, M-factors and ATE			
78-40-0	201-114-5	triethyl phosphate	15 - < 30 %		
	oral: LD50 =	1170 mg/kg			
144-19-4		2,2,4-trimethylpentane-1,3-diol	5 - < 15 %		
	oral: LD50 = > 2000 mg/kg				
115-84-4	204-111-7	2-butyl-2-ethylpropanediol	5 - < 15 %		
	dermal: LD50	0 = > 2000 mg/kg; oral: LD50 = 2900 mg/kg			
77-99-6	201-074-9	Propylidynetrimethanol	5 - < 15 %		
	dermal: LD5	0 = > 10000 mg/kg; oral: LD50 = ca. 14700 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 3 of 12

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 4 of 12

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Resins (prepolymers)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
144-19-4	2,2,4-trimethylpentane-1,3-diol						
Worker DNEL	, long-term	inhalation	systemic	6,61 mg/m³			
Worker DNEL	, long-term	dermal	systemic	7,03 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	2,6 mg/m ³			
Consumer DN	IEL, long-term	dermal	systemic	6 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	6 mg/kg bw/day			
Consumer DN	IEL, acute	oral	systemic	18 mg/kg bw/day			
115-84-4	2-butyl-2-ethylpropanediol						
Worker DNEL	, long-term	inhalation	systemic	5,3 mg/m³			
Worker DNEL	, long-term	dermal	systemic	1,5 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	1,3 mg/m ³			
Consumer DN	IEL, long-term	dermal	systemic	0,75 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	0,75 mg/kg bw/day			
77-99-6	Propylidynetrimethanol			•			
Worker DNEL	, long-term	inhalation	systemic	3,3 mg/m ³			
Worker DNEL, long-term		dermal	systemic	0,94 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	0,58 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,34 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	0,34 mg/kg bw/day			



8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 5 of 12

PNEC values

CAS No	Name of agent						
Environmenta	Environmental compartment						
144-19-4	2,2,4-trimethylpentane-1,3-diol						
Freshwater		0,109 mg/l					
Freshwater (i	ntermittent releases)	1,091 mg/l					
Marine water		0,011 mg/l					
Freshwater se	ediment	0,903 mg/kg					
Marine sedim	nent	0,09 mg/kg					
Micro-organis	sms in sewage treatment plants (STP)	20 mg/l					
Soil		0,117 mg/kg					
115-84-4	2-butyl-2-ethylpropanediol						
Freshwater		0,1 mg/l					
Freshwater (i	1 mg/l						
Marine water 0,01 mg/l							
Micro-organis	/licro-organisms in sewage treatment plants (STP) 6,5 mg/l						

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless, transparent	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		not determined
boiling range:		
Flammability:		not applicable
		not applicable



	8808/30T PU Resin	
Revision date: 18.06.2024	Product code: 50105	Page 6 of 12
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not determined	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 22 °C):	1,03 - 1,08 g/cm³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haza Explosive properties The product is not: Explosive. Oxidizing properties The product is not: oxidising.	rd classes	
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Viscosity / dynamic: (at 22 °C)	100 - 200 mPa·s	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 4213 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 7 of 12

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
78-40-0	triethyl phosphate						
	oral	LD50 mg/kg	1170	Rat	GESTIS		
144-19-4	2,2,4-trimethylpentane	-1,3-diol					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2012)	OECD Guideline 425	
115-84-4	2-butyl-2-ethylpropane	diol					
	oral	LD50 mg/kg	2900	Rat	Study report (1988)	EU Method B.1	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1990)	OECD Guideline 402	
77-99-6	Propylidynetrimethano	I					
	oral	LD50 mg/kg	ca. 14700	Rat	Study report (1956)	Method: groups of 5 male rats were given	
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report (1956)	Groups of 4 albino rabbits were evaluate	

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility. Suspected of damaging the unborn child. (Propylidynetrimethanol) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 8 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
144-19-4	2,2,4-trimethylpentane-1,	3-diol						
	Acute fish toxicity	LC50 mg/l	> 700	96 h	Lepomis macrochirus	Study report (1986)	other: Methods for Acute Toxicity Tests	
	Acute algae toxicity	ErC50 mg/l	> 110,1	72 h	Raphidocelis subcapitata	Study report (2001)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 109,1	48 h	Daphnia magna	Study report (2002)	OECD Guideline 202	
115-84-4	2-butyl-2-ethylpropanedic	bl						
	Acute algae toxicity	ErC50	94 mg/l	72 h	Raphidocelis subcapitata	Study report (1995)	EU Method C.3	
	Acute bacteria toxicity	EC50 ()	650 mg/l	3 h	Activated sludge	Study report (1998)	OECD Guideline 209	
77-99-6	Propylidynetrimethanol							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Alburnus alburnus	Marine Pollution Bulletin, 14, 213-214 (A static acute toxicity test was perform	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	Citation of an unavailable study report	other: OECD Guideline, not further speci	
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna	Citation of an unavailable study report	other: OECD guideline, not further speci	
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	EU Method C.11	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	•
144-19-4	2,2,4-trimethylpentane-1,3-diol			
	OECD 301A	99%	28	Pre-supplier/manufactur
				er
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-40-0	triethyl phosphate	0,8
144-19-4	2,2,4-trimethylpentane-1,3-diol	1,25
115-84-4	2-butyl-2-ethylpropanediol	2,2
77-99-6	Propylidynetrimethanol	-0,47



8808/30T PU Resin

Revision date: 18.06.2024

Page 9 of 12

D	~	r
D		Г

CAS No	Chemical name	BCF	Species	Source
77-99-6	Propylidynetrimethanol	< 1	Cyprinus carpio	Citation of an unava

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



	8808/30T PU Resin	
Revision date: 18.06.2024	Product code: 50105	Page 10 of 12
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.6. Special precautions for user		
No dangerous good in sense of this	transport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this	transport regulation.	
SECTION 15: Regulatory information		
	gulations/legislation specific for the substance or mixture	
	gulations/legislation specific for the substance or mixture	
15.1. Safety, health and environmental reg		
15.1. Safety, health and environmental reg EU regulatory information Restrictions on use (REACH, annex XVI		
15.1. Safety, health and environmental reg EU regulatory information Restrictions on use (REACH, annex XVI Entry 3, Entry 75 Information according to Directive	I):	

Water hazard class (D):

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

8808/30T PU Resin

Revision date: 18.06.2024

Abbreviations and acronyms

Product code: 50105

Page 11 of 12

Acute Tox: Acute toxicity Eye Irrit: Eye irritation Repr: Reproductive toxicity CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP] Classification procedure Classification Eye Irrit. 2; H319 Calculation method Repr. 2: H361fd Calculation method Relevant H and EUH statements (number and full text) Harmful if swallowed. H302 H319 Causes serious eye irritation. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. **Further Information** The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for

adhering to existing laws and regulations.



8808/30T PU Resin

Revision date: 18.06.2024

Product code: 50105

Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)